CarWash System

Complete Water Re-Generation

THE MONEY MAKER
Fill the Bank not the Drain

4

C

0

Advanced Oxidation Water Re-Generation for Car Wash

- All Wash Wastewater is Re-Generated
- 70% Fresh Water Reduction
- 0% Sewage Discharge
- Reduced Chemical Consumption
- Reduced Odor
- Reduced Biological Growth on Facility
- Financing Available

0

Advanced Oxidation Reactor

- Self-Contained Car Wash Water Re-Generation system on stainless steel stand.
 - 7 HP pump energizes system to provide 100 gpm of filtered water.
 - Twin hydrocyclone pre filter
 - Advanced Oxidation Reactor from onboard Ozone generator.
 - Remove VOCs
 - Remove Dissolved Solids
 - Biologicals
 - Hydrocarbons
 - Disinfection, odor and color removal
 - Advanced Media Filtration
 - Polished water for low turbidity
 - Final TSS Removal
 - Patent Pending



WATER POLISHING



ProvenResults



Coal Creek Car Wash		
ID	Water	Units
Temp	68	F
рН	7.2	
TDS	7	mg/L
Hardness as CaCO₃	<2	mg/L
Ва	<1	mg/L
Sr	<1	mg/L
Ca	<5	mg/L
Fe	<1	mg/L
Mg	<1	mg/L
Κ	1	mg/L
Ва	<1	mg/L
Na	<1	mg/L
As	<1	mg/L
CI	1	mg/L
TSS	<1	mg/L
TOG	<2	mg/L
DO	10.3	mg/L
NTU	12	
COD	4	mg/L
Bacteria	<1	Rlu

Specifications

AOP Stage:

- 44"Wx24"Dx52"H*
- Weight 405 lb (shipping weight 495lbs)*
- Input power: 208/230/480 VAC, 3 Phase @ 8.5/8/4.1 Amp max
- Control Power: 115 VAC, 15 Amp max
- On/Off Control: Switch selectable On/Off or remote
- Primary Pump: 5 Hp 100 gpm, @ 50 psi VFD driven
- System Automation and Alert
- Particulate Separators: Self-Purging vortex hydro-cyclone filters (qty 2)
- Inlet Filtration: Cleanable Basket Super-Strainer*
- Water Inlet: 3" FNPT

Ozone Stage:

- Provides 98% mass transfer efficiency of Ozone to water
- No external pump needed
- On/Off control: continuous operation with pump control
- Ozone Injection: Proprietary injector 11 gram/hour
- Ozone Generation: High efficiency corona discharge
- Ozone generator with Oxygen concentrator

Media Filtration Stage:

- Proprietary Media
- Automatic Backwash Cycle
- 2 low velocity tanks